

# VEHICLE DATA CODE INQUIRY

---

## VEHICLE DETAIL

---

<b>Serial Number:</b>	VN6076	<b>Plant Code:</b>	SAL
<b>Fleet Size:</b>	10	<b>VIN:</b>	3AKJHHDR1SSVN6076
<b>Split Range:</b>	VN6067/VN6076	<b>Customer Name:</b>	WASATCH LEAS
<b>TSO Number:</b>	9731JC	<b>Salesperson:</b>	KEN BARTON
<b>Pilot:</b>	N	<b>CAE Coordinator:</b>	MICHAEL PHILLIPS
<b>Open TCO:</b>	N 18	<b>Customer Account:</b>	W66696

---

## SPECIFICATIONS

---

<b>Base Model:</b>	PT126SLP	<b>Cab Size:</b>	126
<b>Sleeper Size:</b>	072	<b>Qty Cab Colors:</b>	1
<b>Key Code:</b>	FT2954	<b>Engine Model:</b>	DD15
<b>Transmission Model:</b>	DTOH16	<b>Auxiliary Transmission:</b>	
<b>Front Axle:</b>	S125D	<b>Rear Axle:</b>	T40D
<b>Tag/Pusher Axle Model:</b>		<b>Suspension Model:</b>	FA240000
<b>TSO Processing:</b>	COMPLETE	<b>Engineering CWOS:</b>	COMPLETE
<b>Pricing Issues:</b>	COMPLETE		

---

## SCHEDULE

---

<b>Order Status:</b>	DEALER RECEIVED	<b>Status Date:</b>	2024-02-19
<b>Order Received Date:</b>	2023-10-06	<b>Delivery Requested Date:</b>	2024-02-01
<b>Latest Accept Date:</b>	2024-02-01	<b>Projected Delivery Date:</b>	2024-02-01
<b>Order Released Date:</b>	2023-10-21	<b>Ship Method:</b>	DRIVEABLE

---

## SHIPPING/PRICING

---

<b>Transit Start Date:</b>	2024-02-01	<b>Estimated Arrival Date:</b>	
<b>Delivered Date:</b>	2024-02-19	<b>Spec Con Date:</b>	2024-01-04
<b>Official Invoice Date:</b>	2024-01-30	<b>Retail Sold Date:</b>	
<b>Concession Number:</b>	1F3943	<b>Price Level:</b>	PRL-28K
<b>PDI Received Date:</b>		<b>PDI Returned Date:</b>	
<b>Approval Date:</b>		<b>TCO Approval:</b>	
<b>Ship To:</b>	FREIGHTLINER OF UTAH 2240 SOUTH 5370 WEST WEST VALLEY CITY ,UT84120 USA (801) 978-8024		

**Ship Instructions:**

Databook	Origin TCO #	Description	Value
PRL-28K	001	<b>PRICE LEVEL INFORMATION</b> CASCADIA PRL-28K (EFF:MY25 ORDERS)	
		<b>GENERAL APPLICATION INFORMATION</b>	
AA1-001	D	TRACTOR/TRAILER CONFIGURATION	
AA6-001	D	DOMICILED, USA 50 STATES (INCLUDING CALI	
	D	FORNIA AND CARB OPT-IN STATES)	
AF2-998	D	NO STATE/PROVINCE DOMICILE SELECTED	
A85-005	D	LINEHAUL/LONG HAUL SERVICE	
A84-1GF	D	GENERAL FREIGHT BUSINESS SEGMENT	
AA3-998	D	NO BODY SPECIFIED	
AA2-001	D	VAN TRAILER	
AH6-001	D	SINGLE (1) TRAILER	
AA5-002	D	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN	
	D	TRANSIT, IS SPENT ON PAVED ROADS	
AB5-001	D	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO	
	D	ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA	
	D	D SURFACE	
AB1-008	D	MAXIMUM 8% EXPECTED GRADE	
AA4-001	D	GENERAL FREIGHT COMMODITY	
A66-99D	D	EXPECTED FRONT AXLE(S) LOAD	12350 LBS
A68-99D	D	EXPECTED REAR DRIVE AXLE(S) LOAD	34000 LBS
A67-99D	D	EXPECTED PUSHER AXLE(S) LOAD	0 LBS
A63-99D	D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	46350 LBS
A70-99D	D	EXPECTED GROSS COMBINATION WEIGHT	80000 LBS
AC8-99D	S	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	91.339 IN
A79-99D	S	EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5 IN
A78-99D	S	EXPECTED MAXIMUM TRAILER DIP ANGLE	4 DEG
AL7-99D	S	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	20 IN
AM5-99D	S	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	62.819 IN
AL9-99D	S	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	72 IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	100.874 MPH
AM3-99D	S	018 CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	38.028 IN
AM2-99D	S	018 CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.522 IN
AM0-99D	S	018 TOP OF FRM TO RR TIRE TOP-UNLD	-1.178 IN
		<b>MAXIMUM GVW &amp; AXLE SYSTEM CAPACITIES</b>	
A61-99D	S	009 CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12500 LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000 LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0 LBS
A62-99D	S	009 RATED MAXIMUM VEHICLE CAPACITY - GVWR	52500 LBS
		<b>BASE MODEL</b>	
001-234	D	CASCADIA 126 INCH SLEEPER/CAB	F 9765 R 7724
004-225	D	2025 MODEL YEAR SPECIFIED	
024-010	D	ELITE EXTERIOR APPEARANCE PACKAGE	
028-998	D	NO OPTIMIZED POWER TRAIN PACKAGE	
066-998	D	NO FUEL EFFICIENCY/AERODYNAMIC PACKAGE	
995-1AD	D	FREIGHTLINER LEVEL I WARRANTY	
AF3-2CR	D	TRACTOR ONLY WITH NO BODY UPFIT	
002-002	D	SET BACK AXLE - TRACTOR	
019-998	D	NO TRUCK PROVISION PACKAGE	
021-998	D	NO WEIGHT REDUCTION PACKAGE	
003-001	D	LH PRIMARY STEERING LOCATION	
		<b>ENGINE</b>	
101-28M	D	DETROIT DD15 GEN 5 HIGH POWER 14.8L 505	
	D	HP @ 1625 RPM, 1900 GOV RPM, 1650 LB-FT	
	D	@ 975 RPM	
99C-124	H	014 EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX	
	H	014 CONFIGURATION	
		<b>Required with build date</b>	
99X-024	S	014 OBD 2024	
99Z-006	S	VEHICLE IS SUBJECT TO EPA GHG21/GHG24	

Databook	Origin	TCO #	Description	Value
99D-019	H	014	CARB EMISSIONS CERTIFICATION NOT FOR INITIAL REGISTRATION IN CALIFORNIA AND CARB	
	H		OPT-IN STATES -CARB CLEAN IDLE (6X4 INC	
	H		H LABELS ON LOWER FORWARD DRIVER DOOR)	
		014	<b>Required with build date</b>	
9EE-001	S		CEEA+ 667 ELECTRICAL ARCHITECTURE	
7A1-998	D		NO MIRROR CAMERA SYSTEM	
992-001	S		50 STATE EMISSIONS CERTIFICATION	
	S		**DO NOT USE**	
28F-014	D		ENGINE AFTERTREATMENT DEVICE, AUTOMATIC	
	D		OVER THE ROAD REGENERATION AND VIRTUAL R	
	D		EGENERATION REQUEST SWITCH IN CLUSTER	
3F6-213	S		IPPC+ RELEASE 21.3 21.03.D1.20.01.D.017.	
	S		00 TOMTOM_2021_06_NAM	
79A-075	D		75 MPH ROAD SPEED LIMIT	
79B-006	D		CRUISE CONTROL SPEED LIMIT SAME AS ROAD	
	D		SPEED LIMIT, WITH AUTO RESUME AFTER SHIF	
	D		T	
79C-998	D		NO DRIVER FUEL ECONOMY INCENTIVE	
79D-050	D		1650 RPM LIMIT FOR LOW GEARS, 1650 RPM L	
	D		IMIT FOR MIDDLE GEARS, 1650 RPM LIMIT FO	
	D		R HIGH GEARS	
79E-998	D		NO LOW RANGE TORQUE PROTECT	
79F-013	D		FLEET MANAGEMENT - DAILY ENGINE USAGE EN	
	D		ABLED	
79G-005	D		5 MINUTES IDLE SHUTDOWN WITHOUT CLUTCH A	
	D		ND SERVICE BRAKE OVERRIDE	
79J-998	D		NO PTO SHUTDOWN CONFIGURATION	
79K-998	D		NO PTO MODE ENGINE RPM LIMIT, PTO 1	
79L-998	D		PTO MODE THROTTLE OVERRIDE DISABLED	
79M-998	D		PTO MODE BRAKE OVERRIDE - DISABLED	
79N-998	D		NO PTO MODE CLUTCH OVERRIDE	
79P-998	D		NO PTO RPM WITH CRUISE SET SWITCH	
79Q-998	D		NO PTO RPM WITH CRUISE RESUME SWITCH	
79R-998	D		NO PTO MODE COOLING FAN	
79S-998	D		NO PTO MODE CANCEL VEHICLE SPEED	
79T-998	D		NO PTO MODE RPM INCREMENT	
79U-998	D		NO PTO GOVERNOR RAMP RATE	
79V-998	D		NO PTO MODE DPF REGEN	
79W-998	D		NO PTO MODE ENGINE SPEED CONTROL	
79X-998	D		NO PTO 1 SET SPEED	
79Y-998	D		NO PTO 2 SET SPEED	
79Z-998	D		NO PTO 3 SET SPEED	
80A-998	D		NO ALTERNATE ROAD SPEED LIMIT	
80B-998	D		NO CHECK ENGINE LIGHT ON OVERSPEED	
80C-012	D		ENGINE BRAKE WITH GLOBAL CRUISE CONTROL	
	D		ENABLED	
80D-998	D		NO SOFT CRUISE CONTROL	
80E-998	D		NO ENGINE FAN WITH RETARDER	
80F-998	D		NO MAINTENANCE MONITOR	
80G-998	D		NO PTO MINIMUM RPM	
80H-998	D		NO ACCELERATION MANAGEMENT	
80J-998	D		NO REGEN INHIBIT SPEED THRESHOLD	
80R-000	S		DRIVELINE TORQUE PROTECTION - ENABLED	
80Y-001	S		INTELLIGENT POWERTRAIN MANAGEMENT UPPER/	
	S		LOWER LIMIT: +5 MPH, -4 MPH	
84N-998	D		NO TCU-ENGINE LOAD REDUCTION FUNC	
84Z-051	S		DT12 UPSHIFT STRATEGY - UPSHIFT ALLOWED,	
	S		HILL DESCENT,SHIFT WITH BRAKES,IN MANUAL	
	S		AND AUTOMATIC	

<b>Databook</b>	<b>Origin TCO #</b>	<b>Description</b>	<b>Value</b>
85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED	
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED	
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED	
85J-004	D	REVERSE GEAR RANGE LIMITED TO 2ND GEAR	
85P-998	D	NO REAR PTO TRANSMISSION RANGE	
87W-998	D	NO PTO MODE ENG RPM LIMIT, PTO 2	
87X-998	D	NO PTO MODE ENG RPM LIMIT, PTO 3	
87Y-998	D	NO PTO MODE ENG RPM LIMIT, PTOEM	
		<b>ENGINE EQUIPMENT</b>	
13E-001	D	STANDARD OIL PAN	
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL	
104-021	D	SPEEDCLICK OIL DRAIN VALVE	
133-004	S	ONE PIECE VALVE COVER	
014-1CT	D	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER	
124-1DJ	D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	F 10
292-214	D	(4) DTNA GENUINE, FLOODED STARTING AND CHARGING, MIN 2800CCA, 760RC, THREADED STUD BATTERIES	
29H-998	D	NO AUXILIARY BATTERIES	
290-1D3	D	STEEL BATTERY BOX WITH ENCLOSED TRAY	
29G-998	D	NO AUXILIARY BATTERY BOX	
282-001	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB	
29E-998	D	NO AUXILIARY BATTERY BOX MOUNTING/LOCATION	
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	
289-006	D	PLASTIC BATTERY BOX COVER	
29F-998	D	NO AUXILIARY BATTERY BOX COVER	
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	F 2
295-029	D	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	F 2
306-015	D	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	
28E-001	S	12V POWERNET ARCHITECTURE	
80X-998	S	NO BATTERY MANAGEMENT SYSTEM	
180-1AP	D	DETROIT HEAVY DUTY AUTOMATED MANUAL TRANSMISSION CLUTCH	
183-998	D	NO CLUTCH BRAKE	
181-998	D	NO CLUTCH RELEASE BEARING LUBE	
107-046	D	BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE	
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR	
131-013	D	AIR COMPRESSOR DISCHARGE LINE	
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	
128-002	D	JACOBS COMPRESSION BRAKE	
016-1C3	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE	
239-001	D	STANDARD EXHAUST SYSTEM LENGTH	

Databook	Origin TCO #	Description	Value
233-998	D	NO EXHAUST BRIGHTWORK (PLAIN)	
237-052	D	RH STANDARD HORIZONTAL TAILPIPE	
23U-003	D	23 GALLON DIESEL EXHAUST FLUID TANK	
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO	
	S	LANT PLUMBING	
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL	
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER	
43X-001	D	LH HEAVY DUTY STANDARD DIESEL EXHAUST FL	
	D	UID TANK LOCATION	
43Y-005	D	STANDARD DEF TANK CAP IN CENTER PANEL CU	
	D	TOUT	
242-998	D	NO MUFFLER/TAILPIPE SHIELD	
273-058	D	AIR POWERED ON/OFF ENGINE FAN CLUTCH	
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC	
	D	H, NON ENGINE MOUNTED	
110-068	D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/	
	D	FUEL WATER SEPARATOR WITH WATER-IN-FUEL	
	D	INDICATOR	
114-998	D	NO BYPASS OIL FILTER	
118-001	D	FULL FLOW OIL FILTER	
120-998	D	NO COOLANT FILTER	
165-998	D	NO OIL LEVEL REGULATOR/RESERVOIR	
266-1C1	D	1400 SQUARE INCH FUEL ECONOMY RADIATOR	
103-039	D	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL	
	D	ICATE FREE) EXTENDED LIFE COOLANT	
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV	
	D	ALENT	
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT	
	D	HOSES	
269-001	D	STANDARD RADIATOR MOUNTING	
270-019	D	HDEP VARIABLE SPEED COOLANT PUMP AND RAD	
	D	IATOR DRAIN VALVE	
168-002	D	LOWER RADIATOR GUARD	
360-998	D	NO FRONT ENGINE PTO	
361-998	D	NO REAR ENGINE PTO	
138-005	D	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F 4
	D	HEATER	
141-998	D	NO COOLANT HEATER - GAS/DSL	
166-998	D	NO OIL PREHEATER	
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED	
	D	UNDER LH DOOR	
134-001	D	ALUMINUM FLYWHEEL HOUSING	
155-076	D	DELCO 12V MOD 3.175-39MT+ STARTER WITH E	F -45
	D	NGINE ECU SOFTWARE PROTECTION AND INTEGR	
	D	ATED MAGNETIC SWITCH	
106-004	D	ELECTRONIC ACCELERATOR CONTROL WITH KICK	
	D	DOWN FEATURE	
		<b>TRANSMISSION &amp; EQUIPMENT</b>	
342-596	D	DT12-1650-OHE EFFICIENT ON-HIGHWAY 12-SP	
	D	EED OVERDRIVE AUTOMATED MANUAL TRANSMISS	
	D	ION	
343-2BK	D	DT12 PERFORMANCE PACKAGE: ECONOMY AND PE	
	D	RFORMANCE, WITH ICU CONTROL MENUS, WITH	
	D	KICKDOWN	
84B-998	D	NO TCU-VOCATIONAL RATING	
84C-998	D	NO TCU-PRIMARY MODE: GEARS	
84D-007	D	12 FORWARD GEARS SELECTABLE DT12 MANUAL	
	D	MODE	
97G-998	D	NO TRANSMISSION PROGNOSTICS	
34C-998	D	NO AUX/ACC TRANSMISSION WIRING	

Databook	Origin TCO #	Description	Value
345-078	D	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED	
86Q-998	D	NO TCU - AMT SHIFT CALIBRATION	
347-002	D	ALUMINUM CLUTCH HOUSING	
370-002	D	AIR TO OIL TRANSMISSION COOLER	
346-998	D	NO TRANSMISSION OIL CHECK AND FILL	
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	
35T-003	D	SYNTHETIC TRANSMISSION LUBE	
341-017	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN	
362-998	D	NO MAIN TRANSMISSION MOUNTED PTO	
363-998	D	NO PTO MOUNTING LOCATION SPECIFIED	
		<b>FRONT AXLE, SUSPENSION &amp; EQUIPMENT</b>	
400-1G1	D	DETROIT DA-F-12.5-3 12,500# FF1 71.5 KPI /3.74 DROP SINGLE FRONT AXLE	
402-075	D	BENDIX ADB22X AIR DISC FRONT BRAKES	F 20
403-043	D	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING	
419-004	D	FRONT DISC BRAKE ROTORS	
427-998	D	NO FRONT BRAKE DUST SHIELDS	
409-006	D	FRONT OIL SEALS	
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-094	S	AIR DISC LONGSTROKE FRONT BRAKE CHAMBERS	
405-030	D	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS	
40P-998	D	NO FRONT AXLE ACCESSORIES	
536-050	D	TRW THP-60 POWER STEERING	
537-005	S	STEEL STEERING SHAFT	
539-003	D	POWER STEERING PUMP	
534-015	D	2 QUART SEE THROUGH POWER STEERING RESERVOIR	
533-998	D	NO POWER STEERING OIL COOLER	
40T-002	D	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE	
620-1F3	D	12,500# TAPERLEAF FRONT SUSPENSION	
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION	
410-001	D	FRONT SHOCK ABSORBERS	
909-998	D	NO FRONT AIR SUSPENSION LEVELING VALVE	
		<b>REAR AXLE, SUSPENSION &amp; EQUIPMENT</b>	
420-1T8	D	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIE S TANDEM REAR AXLE	
421-285	D	2.85 REAR AXLE RATIO	
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING	
42T-001	D	STANDARD REAR AXLE BREATHER(S)	
386-044	D	RPL25 MERITOR MAIN DRIVELINE	
388-039	D	RPL20 MERITOR INTERAXLE DRIVELINE	
393-998	D	NO DRIVELINE GUARD	
452-998	D	NO TRACTION EQUALIZER	
878-019	D	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES	
87A-012	D	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH WITH IAD FEEDBACK	
87B-998	D	NO DIFFERENTIAL LOCK WIRING/LOGIC	
423-075	D	BENDIX ADB22X AIR DISC REAR BRAKES	R 40
433-043	D	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS	

Databook	Origin	TCO #	Description	Value
434-003	D		STANDARD BRAKE CHAMBER LOCATION	
451-005	D		REAR DISC BRAKE ROTORS	
425-998	D		NO REAR BRAKE DUST SHIELDS	
440-006	D		REAR OIL SEALS	
426-094	D		AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING	R 20
	D		PARKING CHAMBERS	
428-030	D		REAR AIR DISC BRAKE INTERNAL ADJUSTERS	
41T-002	H	002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR	
	H		AXLE LUBE	
		002	<b>required with selected axle</b>	
622-005	D		AIRLINER 40,000# REAR SUSPENSION	
621-118	D		7.9 INCH NOMINAL RIDE HEIGHT (415MM GLOB	
	D		AL REFERENCE HEIGHT)	
431-001	D		STANDARD AXLE SEATS IN AXLE CLAMP GROUP	
624-016	D		51 INCH AXLE SPACING	
628-998	D		NO SUSPENSION BEAMS	
888-048	D		MANUAL DUMP VALVE FOR AIR SUSPENSION WIT	
	D		H GAUGE	
87D-007	D		INDICATOR LIGHT AND BUZZER FOR EACH REAR	
	D		SUSPENSION CONTROL SWITCH	
910-001	D		SINGLE AIR REAR SUSPENSION LEVELING VALV	
	D		E	
623-002	D		TRANSVERSE CONTROL RODS	
439-005	D		REAR SHOCK ABSORBERS - TWO AXLES (TANDEM	
	D		) (AIR RIDE SUSPENSION)	
035-998	D		NO DEAD AXLE PACKAGE	
443-998	D		NO PUSHER OR TAG AXLE	
456-998	D		NO PUSHER/TAG BRAKES	
457-998	D		NO BRAKE LINING-PUSHER/TAG(SCO)	
448-998	D		NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA	
	D		G	
429-998	D		NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998	D		NO PUSHER OR TAG OIL SEALS	
444-998	D		NO PUSHER OR TAG HUB CAPS	
445-998	D		NO PUSHER OR TAG BRAKE CHAMBERS	
458-998	D		NO PUSHER/TAG SLACK ADJUSTERS	
626-998	D		NO PUSHER OR TAG SUSPENSION	
627-998	D		NO PUSHER/TAG AXLE SPACING	
874-998	D		NO PUSHER/TAG AXLE LIFT	
87F-998	D		NO LIFT AXLE WIRING/LOGIC	
896-998	D		NO PLUMBING FOR LIFT AXLE	
			<b>BRAKE SYSTEM</b>	
490-1AT	D		WABCO 4S/4M ABS WITH HILL START AID AND	
	D		TRACTION CONTROL WITH ATC SHUT OFF SWITC	
	D		H	
871-001	D		REINFORCED NYLON, FABRIC BRAID AND WIRE	
	D		BRAID CHASSIS AIR LINES	
904-001	D		FIBER BRAID PARKING BRAKE HOSE	
412-001	D		STANDARD BRAKE SYSTEM VALVES	
413-002	D		STD U.S. FRONT BRAKE VALVE	
432-003	D		RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,	
	D		NO REAR PROPORTIONING VALVE	
480-088	D		WABCO SYSTEM SAVER HP WITH INTEGRAL AIR	
	D		GOVERNOR AND HEATER	
479-015	D		AIR DRYER FRAME MOUNTED	
483-004	D		WABCO OIL COALESCING FILTER FOR AIR DRYE	
	D		R	
460-001	D		STEEL AIR BRAKE RESERVOIRS	
46A-998	D		NO AUXILIARY AIR TANK	F -10 R -15
2TD-001	D		(1) 620 CUBIC INCH ALUMINUM TRANSMISSION	

Databook	Origin TCO #	Description	Value
	D	AIR TANK, INLET CHECK VALVE	
4K9-004	S	PULL CABLE ON 2TD TRANSMISSION RESERVOIR	
607-004	D	CLEAR FRAME RAIL 36 INCHES FROM BACK OF	
	D	CAB OUTBOARD OF RH FRAME RAIL	
46D-002	S	STANDARD AIR SYSTEM PRESSURE PROTECTION	
	S	SYSTEM	
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)	
485-998	D	NO EXTERNAL CHARGING GLADHAND	
481-048	D	12 FOOT COILED TRAILER AIR HOSE WITH 45	F 12
	D	DEGREE FITTINGS AT BACK OF CAB WITH 48 I	
	D	NCH TRACTOR, 12 INCH TRAILER LEADS	
476-002	D	36 INCH STAINLESS STEEL SLIDE BAR WITH S	
	D	PRING TYPE AIR HOSE HANGER	
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME	
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,	
	D	VALVES, OR AIR UNLOADER SYSTEM	
484-032	D	COMBINATION DUMMY GLAD HANDS AND LIGHT P	
	D	LUG HOLDER MOUNTED LH BACK OF CAB WITH G	
	D	ROUND ACCESS	
296-010	D	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR S	
	D	EPARATE STOP/TURN, ABS CENTER PIN POWERE	
	D	D THROUGH IGNITION	
297-027	D	SAE J560 7-WAY PRIMARY TRAILER CABLE REC	
	D	EPTACLE MOUNTED LOWER LH BACK OF CAB	
32A-007	S	SIGNAL DETECTION AND ACTUATION MODULE	
44Z-002	D	EXTERIOR HARNESSSES WRAPPED IN ABRASION T	
	D	APE	
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING	
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R	
	D	ECEPTACLE	
303-998	D	NO ADDITIONAL TRAILER CABLE RECEPTACLE	
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING	
30L-998	D	NO HIGH CURRENT TRAILER/BODY CABLE	
334-998	D	NO ADDITIONAL SUPPLEMENTAL 7-WAY	
	D	TRAILER CABLE RECEPTACLE	
310-082	D	12 FOOT DETACHABLE COILED PRIMARY TRAILER	
	D	R ELECTRICAL CABLE WITH SAE J560 CONNECT	
	D	OR WITH 48 INCH TRACTOR, 12 INCH TRAILER	
	D	LEADS	
309-998	D	NO SUPPLEMENTAL TRAILER ELEC CABLE	
		<b>FRAME &amp; WHEELBASE</b>	
545-582	D	5825MM (229 INCH) WHEELBASE	
546-135	H 018	11.0MM X 85.0MM X 287.0MM STEEL FRAME (0	
	H	.43X3.35X11.30 INCH) 80 KSI	
		<b>EMERGENCY FRAME RAIL MATERIAL CHANGE</b>	
547-998	D	NO INNER FRAME REINFORCEMENT	
549-998	D	NO FRONT FRAME EXTENSION	
552-026	D	1425MM (56 INCH) REAR FRAME OVERHANG	F -10 R 20
AB8-99D	S 018	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.485 %
553-002	D	FLANGED TAPERED END OF FRAME	
550-001	D	FRONT CLOSING CROSSMEMBER	
559-003	D	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE C	
	D	ROSSMEMBER	
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)	
561-001	S	STANDARD CROSSMEMBER BACK OF	
	S	TRANSMISSION	
560-008	D	UNDER OR OVERSLUNG CROSSMEMBER	
565-001	D	STANDARD SUSPENSION CROSSMEMBER	
572-001	D 007	STANDARD REARMOST CROSSMEMBER	
587-998	D 007	NO REAR TOWING DEVICE	



Databook	Origin TCO #	Description	Value
588-998	D	NO REAR TOW DEVICE HEIGHT	
		<b>CHASSIS EQUIPMENT</b>	
674-001	D	LH BACK OF CAB ACCESS	
592-055	D	28 INCH (700MM) DECK PLATE FLUSH MOUNTED	F 5 R 5
	D	BETWEEN RAILS	
556-1G7	D	PAINTED AERODYNAMIC BUMPER WITH CHROME O	
	D	VERLAY	
557-998	D	NO BUMPER STEP(S)	
558-070	D	REMOVABLE FRONT TOW/RECOVERY DEVICE,STOR	F 15
	D	ED ON CHASSIS FRAME	
574-007	D	BUMPER MOUNTING FOR (3) LICENSE PLATES	
585-1AJ	D	BETTS B-7 STAINLESS STEEL MUDFLAP BRACKE	R 10
	D	TS	
590-001	D	BLACK MUDFLAPS	
586-015	D	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS	
576-998	D	NO TIRE CHAINS/HANGER	
551-003	D	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS	
	D	EXCLUDING FIFTH WHEEL	
583-074	D	PLASTIC QUARTER FENDERS WITHOUT LOGO WIT	R 25
	D	H AERODYNAMIC SPOILER	
602-998	D	NO TOOL/STORAGE BOX #1	
61B-998	D	NO TOOL/STORAGE BOX #1 MOUNTING LOCATION	
603-998	D	NO TOOL/STORAGE BOX #2	
61C-998	D	NO TOOL/STORAGE BOX #2 MOUNTING LOCATION	
609-998	D	NO STORAGE BOX BRIGHTWORK	
599-998	D	NO AUXILIARY FUEL DRIVEN POWER UNIT	
69N-998	D	NO AUXILIARY POWER UNIT PLUMBING	
600-998	D	NO CAB GUARD	
604-998	D	NO TIRE CARRIER	
489-998	D	NO TIRE PRESSURE CONTROL/SENSOR	
50W-998	D	NO RIM/WHEEL TIRE PRESSURE SENSOR	
794-998	D	NO JACK OR WHEEL WRENCH PROVISION	
601-998	D	NO BODY BUILDER DIAGRAMS	
		<b>FIFTH WHEEL &amp; EQUIPMENT</b>	
578-1T5	D	FONTAINE NO-SLACK II 6000 SERIES 6LWB 24	R 65
	D	.0 INCH AIR SLIDE FIFTH WHEEL - 2 INCH S	
	D	LIDE INCREMENTS	
577-508	D	FIFTH WHEEL 508MM (20.0 INCHES) AHEAD OF	
	D	SUSPENSION CENTERLINE	
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS	
582-013	D	171MM (6.75 INCH) FIFTH WHEEL HEIGHT	
A03-99D	S	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	46.272 IN
570-001	D	STEEL OUTBOARD ANGLE - FIFTH WHEEL MOUNT	
	D	ING	
890-001	D	DASH MOUNTED CONTROL AND PLUMBING FOR FI	
	D	FTH WHEEL	
579-003	D	SIDE LEFT FIFTH WHEEL RELEASE	
591-998	D	NO FIFTH WHEEL ADD-ONS	
581-998	D	NO FIFTH WHEEL RAMP	
		<b>FUEL TANK(S) &amp; EQUIPMENT</b>	
206-158	D	120 GALLON/453 LITER ALUMINUM FUEL TANK	F 5 R 5
	D	- RH	
201-998	D	NO RH AUXILIARY FUEL TANK	
204-158	D	120 GALLON/453 LITER ALUMINUM FUEL TANK	F 10
	D	- LH	
200-998	D	NO LH AUXILIARY FUEL TANK	
230-998	D	NO BETWEEN RAIL FUEL TANK	
203-998	D	NO HYDRAULIC OIL TANK	
218-006	D	25 INCH DIAMETER FUEL TANK(S)	
215-005	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU	

Databook	Origin TCO #	Description	Value
	D	LIC TANK(S) WITH PAINTED BANDS	
212-008	D	FUEL TANK(S) AFT	
231-998	D	NO FUEL TANK MTG BETWEEN RAILS	
232-998	D	NO ADDITIONAL FUEL PROVIDED	
664-002	D	POLISHED STEP FINISH	
207-998	D	NO FUEL TANK SCREENS	
205-001	D	FUEL TANK CAP(S)	
210-998	D	NO FUEL TANK DRAIN VALVES	
220-998	D	NO FUEL HEATER	
122-1H2	D	DETROIT FUEL/WATER SEPARATOR WITH BYPASS	F 10
	D	AND 12 VOLT PREHEATER	
216-020	D	EQUIFLO INBOARD FUEL SYSTEM	
11F-998	D	NO NATURAL GAS VEHICLE FUEL TANK VENT LI	
	D	NE/STACK	
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT	
	D	S	
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L	
	D	INE	
213-998	D	NO FUEL LINE INSULATION	
221-998	D	NO FUEL COOLER	
		<b>TIRES</b>	
093-18B	C 009	MICHELIN X LINE ENERGY Z+ 295/75R22.5 16	F -4
	C	PLY RADIAL FRONT TIRES	
094-2HH	D	BRIDGESTONE ECOPIA M760 295/75R22.5 14 P	R 104
	D	LY RADIAL REAR TIRES	
095-998	D	NO PUSHER/TAG TIRES	
527-002	S	TIRE QTY - FRONT AXLE: 2	
528-008	S	TIRE QTY - REAR AXLE: 8	
52M-001	D	FRONT TIRE/DISC WHEEL STATIC BALANCING W	
	D	ITH LEAD-FREE WEIGHTS	
		<b>HUBS</b>	
418-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM FRON	
	D	T HUBS	
450-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM REAR	
	D	HUBS	
449-998	D	NO PUSHER OR TAG HUBS	
		<b>WHEELS</b>	
502-766	D	ALCOA ULA18X 22.5X8.25 10-HUB PILOT 5.81	F -62
	D	INSET ALUMINUM DISC FRONT WHEELS	
50T-998	D	NO FRONT AXLE WHEEL/HUB COVER	
505-766	D	ALCOA ULA18X 22.5X8.25 10-HUB PILOT ALUM	R -248
	D	INUM DISC REAR WHEELS	
509-998	D	NO PUSHER/TAG DISC WHEELS	
511-998	D	NO SPARE WHEEL	
524-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH FRONT WHEELS	
525-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH REAR WHEELS	
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE	
	D	ELS	
50U-998	D	NO REAR AXLE WHEEL/HUB COVER	R -16
50X-998	D	NO WHEEL/HUB COVER-PUSHER/TAG	
496-011	D	FRONT WHEEL MOUNTING NUTS	
497-011	D	REAR WHEEL MOUNTING NUTS	
495-998	D	NO PUSHER/TAG WHEEL MOUNTING NUTS	
498-059	D	ALLIGATOR V2B CAPS WITH NYLON WHEEL GUAR	
	D	DS FRONT AND REAR AT ALL INTERFACES	
		<b>CAB EXTERIOR</b>	
829-111	D	126" BBC ALUMINUM CONVENTIONAL CAB	

<b>Databook</b>	<b>Origin TCO #</b>	<b>Description</b>	<b>Value</b>
825-002	S	STANDARD DENSITY COMPOSITE CAB ROOF	
653-004	D	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP	
651-004	D	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP	
056-998	D	NO MAINTENANCE PACKAGE	
682-077	D	72 INCH RAISED ROOF SLEEPERCAB	
784-092	D	FULL LENGTH EXTENDED AERODYNAMIC SPOILER	F 16 R 10
783-015	D	24 INCH CAB/SLEEPERCAB SIDE EXTENDERS WITH BLACK FLEXIBLE ENDS AND CHASSIS FAIRING GAP FILLER PANEL	F 25 R 25
82A-011	D	UNDER CAB VANITY PANELS	
782-026	D	PAINTED FRAME SIDE FAIRINGS TO BACK OF SIDE EXTENDERS	F 125 R 85
78H-998	D	NO DRIVE WHEEL FAIRINGS - CHASSIS	
770-002	D	LOW GROUND CLEARANCE CHASSIS FAIRING SKIRTS	
779-001	D	LATCHED FRONT LEFT SIDE FAIRING PANEL FOR BATTERY ACCESS	
704-037	D	LH AND RH BAGGAGE DOORS	
650-008	D	AIR CAB MOUNTING	
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	
695-998	D	NO SLEEPER DOOR	
75X-998	D	NO AERO WHEEL WELL FAIRING	
678-053	D	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES	
646-010	D	CHROME GRILLE WITH INTEGRAL SURROUND	
649-998	D	NO RADIATOR GRILLE GUARD	
644-001	D	AERODYNAMIC HOOD	
67U-002	D	HOOD OPENING ASSIST	
65X-007	D	BLACK HOOD MOUNTED AIR INTAKE GRILLE WITH BRIGHT ACCENT	
64A-998	D	NO HOOD MOUNTED BUG DEFLECTOR	
652-026	D	NEW CASCADIA NAMEPLATE	
690-010	S	ENGINE COMPARTMENT PREMIUM NOISE ABATEMENT AND INSULATION	
727-1AY	D	SINGLE AIR HORN UNDER LH DECK	
726-001	D	SINGLE ELECTRIC HORN	
657-001	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME	
78G-004	D	KEY QUANTITY OF 4	
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME	
319-998	D	NO ADVERTISING LAMP	
327-998	D	NO OTHER LIGHTS	
312-075	D	LED LOW BEAM AND HIGH BEAM HEADLIGHTS	
302-072	D	ROOF MOUNTED LED MARKER LIGHTS	
314-998	D	NO ROADLIGHTS	
315-070	D	LED FOG LIGHTS	F 6
311-001	D	DAYTIME RUNNING LIGHTS	
316-998	D	NO SPOTLIGHTS	
294-050	D	FREIGHTLINER FLANGE MOUNTED LED STOP/TAIL/TURN/BACKUP LIGHTS BY TRUCK-LITE	R 5
300-043	D	LED SIDE TURN SIGNAL	
318-1D7	D	(2) FLUSH LED UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER	
596-011	D	(1) SET 4X4 LOAD LOCK CARRIERS MOUNTED LASH BACK OF CAB/SLEEPER	F 15
744-1E5	D	DUAL BRIGHT FINISH HEATED AERODYNAMIC MIRRORS WITH INTEGRAL CONVEX AND LH AND RH REMOTE	
797-001	D	DOOR MOUNTED MIRRORS	

Databook	Origin TCO #	Description	Value
796-001	S	102 INCH EQUIPMENT WIDTH	
74A-998	D	NO AUXILIARY MIRROR	
74B-1B8	D	RH AND LH HEATED BRIGHT FINISH HOOD/FENDER MOUNTED MIRRORS	F 8
713-998	D	NO PERMIT PLAQUE	
729-001	D	STANDARD SIDE/REAR REFLECTORS	
73A-002	D	REAR REFLECTIVE DEVICE	
787-998	D	NO SECURITY DEVICE	
677-998	D	NO CAB MOUNTED STEPS	
275-061	D	PARK BRAKE REMINDER WARNING SYSTEM	
776-998	D	NO SLEEPER VENT	F -10
764-998	D	NO EXTERIOR SUN VISOR	
768-998	D	NO REAR WINDOW	
661-016	D	SOLAR TINTED DOOR GLASS LH AND RH WITH TINTED FORWARD SIDE GLASS	
654-011	D	RH AND LH ELECTRIC POWERED WINDOWS	
766-998	D	NO FRONT ROOF WINDOW	
76Z-007	D	LH AND RH SOLAR TINTED AND SCREENED CRANK OUT SLEEPER CAP WINDOWS	
767-053	D	LH AND RH TINTED AND SCREENED SLIDING WINDOWS	F 4 R 4
663-019	D	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD	
659-006	D	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR	
647-998	D	NO WINTERFRONT <b>CAB INTERIOR</b>	
707-1D6	D	SADDLE TAN UP LEVEL INTERIOR	
70K-023	D	SADDLE TAN WITH PACIFIC BIRCH WOODGRAIN HARD TRIM	
706-034	D	STANDARD LH DOOR TRIM	
708-034	D	STANDARD RH DOOR TRIM	
772-001	D	BLACK MATS	
773-018	D	BLACK MAT IN SLEEPER AREA	
771-001	D	BLACK MATS IN BAGGAGE COMPARTMENT	
785-014	D	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY	
64D-011	D	SLEEPER TALL CLOSET WITH WRITING SURFACE AND UPPER STORAGE	
64E-011	D	MICROWAVE SHELF WITH UPPER STORAGE AND FACTORY INSTALLED REFRIGERATOR	
691-006	D	FORWARD ROOF MOUNTED CONSOLE WITH DOORS RH AND LH	F 2
696-998	D	NO REAR FLOOR STORAGE	
692-998	D	NO STORAGE INTERIOR, REAR	
693-019	D	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS	
741-020	D	STORAGE POCKET(S) MOUNTED INSIDE CABINET DOOR(S)	
826-012	D	40 INCH WIDE LIFTABLE LOWER BUNK	
745-001	D	FOLDABLE UPPER BUNK	
666-005	D	TENT STYLE LOWER BUNK RESTRAINT	
738-021	D	DIGITAL ALARM CLOCK IN DRIVER DISPLAY	
742-998	D	NO CUP/THERMOS HOLDER	
680-036	D	WING DASH WITH E-VAULT	
718-998	D	NO SLEEPER FAN	
720-011	D	5 LB. FIRE EXTINGUISHER MOUNTED IN LH BAGGAGE COMPARTMENT	F 10
71T-998	D	NO SMOKE/GAS DETECTOR	

Databook	Origin TCO #	Description	Value
714-998	D	NO FIRST AID KIT	
700-014	D	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL	
701-002	D	HVAC DUCTING WITH MAIN FRESH AIR FILTER	
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH	
689-076	D	AUXILIARY HVAC W/CONSTANT TEMP CONTROL, ESPAR D2 FUEL HEATER AND ESPAR DIGI CONTROLLER WITH TIMER, ENABLE WITH KEY OFF W/O OPT IDLE OR W/PARK BRAKE W/OPT IDLE	F 30
170-045	D	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY	
724-001	S	AUXILIARY HEATER PLUMBING	
130-041	D	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR	
698-001	D	RADIATOR MOUNTED AIR CONDITIONER CONDENSER	
702-002	D	BINARY CONTROL, R-134A	
739-034	D	PREMIUM INSULATION	
285-001	D	AUTOMATIC SELF-RESET CIRCUIT BREAKERS	
96R-002	S	STANDARD ELECTRICAL PROTECTIVE COATING, GREASE ON BATTERY TERMINALS AND RED ENAMEL PAINT IN ENGINE COMPARTMENT AND ON CHASSIS CONNECTIONS	
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM	
322-038	D	DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED LED BAGGAGE COMPARTMENT LIGHTS	
324-1B2	D	PREMIUM LED CAB LIGHTING	
325-076	D	PREMIUM LED SLEEPER LIGHTING	
32C-998	D	NO SLEEPER/BAGGAGE LAMP WIRING	
655-005	D	LH AND RH ELECTRIC DOOR LOCKS	
64C-002	D	BRIGHT DOOR HANDLES	
740-004	D	SPRING LOWER MATTRESS AND FLAT FOAM UPPER MATTRESS	
66W-998	D	NO ENTRANCE DOOR CONTROL	
284-1AA	D	(3) 12 VOLT POWER OUTLETS IN BUNK AREA	
337-019	D 007	AC 120 VOLT CAB WIRING AND AC OUTLET, NO SHORE POWER AND EATON 1800 WATT PURE SINE WAVE INVERTER SYSTEM	
710-001	D	CAB PRIVACY CURTAIN	F 5
719-017	D	BUILT-IN REFRIGERATOR	F 20 R 20
722-004	D	TRIANGULAR REFLECTORS WITHOUT FLARES MOUNTED IN LH BAGGAGE COMPARTMENT	F 10
756-1J6	D	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	
760-1J6	D	PREMIUM 2.0 HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	
757-998	D	NO SEAT SKIRT(S)	
759-005	D	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	F 8
758-039	D	MORDURA CLOTH DRIVER SEAT	
761-039	D	MORDURA CLOTH PASSENGER SEAT	
763-1AD	D	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS WITH DRIVER SEAT BELT STATUS INDICATOR LIGHT AND AUDIBLE ALARM	
725-998	D	NO SUPPLEMENTAL RESTRAINT SYSTEM	

<b>Databook</b>	<b>Origin TCO #</b>	<b>Description</b>	<b>Value</b>
66Q-998	D	NO EXERCISE PROVISIONS	
71U-998	D	NO MEDICAL DEVICE	
709-009	D	SLEEPER CURTAIN WITH MAGNETIC CLOSURE	
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	
540-070	D	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS	
765-007	D	DRIVER AND PASSENGER INTERIOR SUN VISORS WITH VANITY MIRRORS	
		<b>CONTROLS &amp; INSTRUMENTS</b>	
870-001	D	BLACK GAUGE BEZELS	
734-018	D	STANDARD CENTER INSTRUMENT PANEL	
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM	
838-001	D	(1) PNEUMATIC SINGLE BRAKE APPLICATION AIR GAUGE	
840-001	D	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE	
198-025	D	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS	
721-998	D	NO BACKUP ALARM	
149-045	D	ELECTRONIC CRUISE CONTROL WITH INTELLIGENT POWERTRAIN MANAGEMENT AND CONTROLS ON STEERING WHEEL SPOKES	
156-016	D	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION AND DDC OPTIMIZED IDLE SYSTEM	
811-044	D	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY	
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH	
844-022	D	ELECTRIC FUEL GAUGE WITH SSI ELECTRONIC FUEL SENDER	
845-011	D	FUEL FILTER RESTRICTION INDICATOR	
148-085	D	EMISSIONS LIMITED IDLE ADJUST	
3ZM-998	D	NO MULTIMEDIA BOX	
3ZS-998	D	NO DRIVER FACING CAMERA	
3ZN-998	D	NO NAVIGATION	
866-019	D	DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS	
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	
854-008	D	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY	
864-022	D	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY	
867-004	S	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER	
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WITH DRIVER DISPLAY	
438-998	D	NO HUBODOMETER	
372-998	D	NO PTO CONTROLS	
80S-998	D	NO TRANS PTO 1 ENGAGEMENT CONTROLS	
80T-998	D	NO TRANS PTO 2 ENGAGEMENT CONTROLS	
80U-998	D	NO PTO 3 CONTROLS	
80V-998	D	NO ENGINE PTO MODE ACTIVATION CONTROLS	
736-998	D	NO OBSTACLE DETECTION SYSTEM	
73K-998	D	NO SIDE OBJECT DETECTION SYSTEM	
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM	
49B-004	D	ELECTRONIC STABILITY CONTROL	

Databook	Origin TCO #	Description	Value
14L-001	D	DETROIT SERVICE BRAKE HOLD FUNCTION	
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM	
73U-998	D	NO ROAD SIGN IMAGING/RESPONSE SYSTEM	
72J-998	D	NO DR ASSIST SYSTEM	
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE	
679-998	D	NO OVERHEAD INSTRUMENT PANEL	
786-998	D	NO POSITIONING/LOCATING SYSTEM	
79H-998	S	NO GPS ANTENNA	
78A-998	D	NO POSITION/COMMUNICATION ACCESSORY	
1U1-998	D	NO NAVIGATION SYSTEM	
746-135	D	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM	
	D	, BLUETOOTH, IPOD INTERFACE, USB AND AUX	
	D	ILIARY INPUTS, J1939	
747-001	D	DASH MOUNTED RADIO	
750-041	D	STANDARD SPEAKER SYSTEM	
753-998	D	NO AM/FM RADIO ANTENNA	
748-006	D	POWER AND GROUND WIRING PROVISION OVERHE	
	D	AD	
749-001	D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION	
75W-001	D	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEAT	
	D	HERBAND, WIFI/BLUETOOTH, GNSS/GPS	
752-050	D	INTEGRATED AERO-ROOF CB ANTENNA	
78C-003	D	INTEROPERABLE SDAR ANTENNA	
737-001	D	TELEVISION ANTENNA	
810-027	D	ELECTRONIC MPH SPEEDOMETER WITH SECONDAR	
	D	Y KPH SCALE, WITHOUT ODOMETER	
817-001	D	STANDARD VEHICLE SPEED SENSOR	
812-032	D	ELECTRONIC 2500 RPM TACHOMETER	
80W-001	D	MAINTENANCE SYSTEM WITH NO POP-UPS AND N	
	D	O MENU IN CLUSTER	
813-1C8	D	DETROIT CONNECT PLATFORM HARDWARE	
8D1-205	D	5 YEARS DETROIT CONNECT BASE PACKAGE (FE	
	D	ATURES VARY BY MODEL) DETROIT CONNECT PL	
	D	ATFORM	
8D3-998	D	NO SAFETY SYSTEMS DATA SERVICE	
8Z1-998	D	NO ZONAR SERVICES SELECTED	
6TS-012	D	(3) TMC RP 1226 ACCESSORY CONNECTORS: (2	
	D	) LOCATED BEHIND PASSENGER SIDE REMOVABL	
	D	E DASH PANEL, AND (1) LOCATED CENTER OF	
	D	OVERHEAD CONSOLE	
81Y-005	D	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR	
	D	LAMPS ONLY	
73X-998	D	NO LATERAL VEHICLE CONT SYS(SCO)	
80K-001	D	TEMPERATURE OVERRIDE BELOW 20 DEGREES AN	
	D	D ABOVE 70 DEGREES AMBIENT TEMPERATURE	
80L-001	D	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTEN	
	D	DED IDLE	
80M-998	S	NO ALTERNATE PTO SPEED	
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE	
80P-998	D	NO FLEET SPEC FOR PARAMETERIZATION	
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG	
162-020	D	IDLE SHUTDOWN OVERRIDE, DDEC 5/6 AMBIENT	
	D	AIR TEMPERATURE SENSOR	
329-010	D	TWO ON/OFF ROCKER SWITCHES IN THE DASH W	
	D	ITH INDICATOR LIGHTS AND WIRE ROUTED TO	
	D	CHASSIS AT BACK OF CAB, LABEL OPT	
264-033	D	STEERING WHEEL MOUNTED ELECTRIC HORN CON	
	D	TROL	
482-001	D	BW TRACTOR PROTECTION VALVE	
883-001	D	TRAILER HAND CONTROL BRAKE VALVE	

Databook	Origin TCO #	Description	Value
842-006	D	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY	
841-998	D	NO FUEL VACUUM GAUGE	
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY	
660-008	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY	
304-030	D	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS	
81B-003	D	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY	
882-021	D	TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR	
299-020	D	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT	
298-046	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY	
2J8-998	D	NO LAMP MONITORING SYSTEM	
869-998	D	NO MISCELLANEOUS GAUGES	
065-000	D	<b>PAINT</b> PAINT: ONE SOLID COLOR	
980-6E8	D	017 CAB COLOR A: L5422EY	
986-020	D	GETTYSBURG GRAY METALLIC ELITE EYE BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	
987-995	D	CHASSIS SIDE FAIRINGS PAINTED SAME AS LOWER CAB SECTION OR FENDER	
962-998	D	PAINT-FRT WHEEL COLOR: NONE	
966-998	D	PAINT-RR WHEEL COLOR: NONE	
96E-998	D	NO PUSHER/TAG WHEEL PAINT	
96F-998	D	NO SPARE WHEEL PAINT	
964-995	D	BUMPER PAINTED SAME AS FENDERS/LOWER SECTION OF CAB	
976-998	D	NO EXTERIOR SUNVISOR PAINT	
979-998	D	NO AERODYNAMIC ROOF DEVICE PAINT	
963-998	D	NO UNDERCOAT	
48Q-998	D	<b>ADDITIONAL SPECIFICATIONS</b> NO TIRE INFLATION DEVICE/SYSTEM	
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION	
95M-998	D	NO CUSTOMER FURNISHED MATERIAL SPECIFIED	
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCTIONS	
958-998	D	NO INSPECTION-LABOR ONLY	
999-998	D	NONE	
996-001	D	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS	
MWT-009	S	DETROIT TRANSMISSION COVERAGE, 5 YEARS/50,000 MILES/1,200,000 KM	
MWF-001	S	DETROIT FRONT AXLE COVERAGE, LINEHAUL, 5 YEAR/750,000 MILES/1 200 000 KILOMETERS	
MWD-002	S	DETROIT REAR AXLE COVERAGE, LINEHAUL, 5 YEAR/750,000 MILES/1 200 000 KILOMETERS	
		<b>TOTAL SUGGESTED RETAIL</b>	
	006	<b>Required with selected build date</b>	
	014	<b>Required with build date</b>	



Databook	Origin TCO #	Description	Value
	006	<b>DEALER NET</b>	
	014	<b>Required with selected build date</b>	
WAI-65B		<b>Required with build date</b>	
		EW4: DD15 CARB COMPLIANT HWY 5 YEARS/600,000 MILES/966,000 KM. EXTENDED ENGINE COVERAGE. FEX APPLIES	
WAS-998	015	NO ALLIANCE BATTERY EXTENDED WARRANTY	
RFU-022		REAR TIRE SURCHARGE	
RFY-022		FRONT TIRE SURCHARGE	
WBB-678		TC4: HD STANDARD ON-HIGHWAY 4 YEARS/450,000 MILES/724,500 KM EXTENDED TRUCK COVERAGE. FEX APPLIES	
WBD-998	015	NO CLUTCH EXTENDED WARRANTY	
WAG-998	015	NO EXTENDED TOWING/ROADSIDE SERVICE COVERAGE	
P73-2FT	001	STANDARD DESTINATION CHARGE	
PNZ-004		CARB-COMPLIANT BASE WARRANTY DD15 / X15	
RAU-025		<b>E</b>	
RNT-001		MY25 ESCALATOR	
	001	NOTES	
	004	<b>NEW CODE CREATED FOR CUST</b>	<b>0.00</b>
		<b>FINAL PRICE DUE</b>	
	006	<b>Required with selected build date</b>	